



SLS Lab Basics Vortex Mixer



Compact and stable design with electronic speed control ensures the same speed is maintained at all times, even during changes of load and also features continuous or touch operation. The orbital diameter of 4mm provides effective and efficient mixing inside the sample.

- Quiet and compact stable design
- Continuous or touch operation
- Electronic speed control for constant speed even during changes in load
- Aluminium cast base with silicone feet for excellent stability and vibration damping

Code	Speed Range, RPM	Orbit, mm	Dims, w x d x h, mm	Weight, kg	Price
SLS1620	0 - 2500	4	127 x 160 x 130	3.5	£210.00



SLS Lab Basics Evolution Vortex Mixer



Capable of meeting the mixing requirements of the most popular consumables used in today's lab without the need to swap out head units. The truly innovative design makes maximum use of the space available, providing holding slots for several different sizes of tube and a standard assay plate, while the traditional centre cup can be used for quick hand held mixing of a vast range of tubes and vessels.

- Variable speed rotary dial provides pre-set speed control (1000, 2000, 3000RPM)
- Stable elastomeric device feet, provide vibration dampening and prevent movement
- Innovative head can be removed for cleaning purposes
- High impact ABS body shell
- Control: 3 position slider – (top) intermittent, (middle) off, (bottom) continuous

Mixing head holding capacity:

- Center pad area for hand held mixing
- 1 x assay plate
- 2 x 50mL conical tubes
- 2 x 15mL conical tubes
- 2 x 5mL tubes
- 4 x 1.5/2mL microfuge tubes
- 6 x 0.5mL microfuge tubes
- 24 x 0.2mL microfuge tubes

Code	Speed Range, RPM	Orbit, mm	Dims, w x d x h, mm	Weight, kg	Price
SLS8500	1000 - 3000	3.7	171 x 190 x 197	3.8	£375.00



SLS Lab Basics Mini Vortex Mixer



Immediate vortex shaking for a variety of tube sizes. A simple, touch start operation enables exceptional mixing performance with one handed operation. Includes 1 mini vortex mixer, replacement silicone cap, universal power adapter.

- Low profile design and small footprint saves valuable space
- Modern design allows easy one handed touch start operation and shaking stops when the tube is lifted
- When performing repetitive procedures, a low activation force helps prevent user fatigue
- Non-slip feet ensure the unit stays in place while mixing
- Made from durable ABS and silicone materials to resist most commonly used chemicals
- Quiet operation and low vibration (full speed, unloaded 53dB)
- Can be used with tubes ranging from 2 to 50mL

Code	Speed, RPM	Orbit, mm	Dims, w x d x h, mm	Weight, kg	Price
SLS9602	4500 (fixed)	6	110 x 130 x 75	0.9	£147.00