

### Product Datasheet model ultravision 9301 105



**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,  
D-90766 Fürth**


#### Product characteristics

- classic goggles with unrestricted field of vision
- can be worn over prescription spectacles
- lenses can be changed
- high mechanical strength of the polycarbonate (B: 120 m/s) lens
- innovative indirect ventilation system helps maintain a comfortable climate around the eyes
- suitable for construction applications

#### Technical details Frame

Material  
Features  
Colour

**Front piece**  
PVC  
ventilation system  
transparent light grey

Material	<b>Headband</b>
Features	synthetic headband
Colour	adjustable
	anthracite/lime
	<b>Marking</b>
Manufacturer's ID code	W
Applicable EN norm	166
Field of use	3 (drops and splashes of liquid)
	4 (large dust particles)
	9 (molten material and hot solids)
Medium-energy impact	B (120 m/s)
Conformity symbol	CE
<b>Lens</b>	
Material	PC
Filter	2,2 mm
Coating	supravision excellence
Colour	clear
UV protection	UV 400
	<b>Marking</b>
Filter	2C-1,2 ( DIN EN 170)
Manufacturer's ID code	W
Optical class	1
Low-energy impact	B (120 m/s)
Field of use	9 (molten material and hot solids)
Surface resistance to fine particles	K
Antifog	N
Conformity symbol	CE
Factory symbol	

**Miscellaneous**

Weight	130 g
Packing	90 pieces in one carton
Standards	DIN EN 166 + DIN EN 170
PPE Category	Category II