



Art & Science of Amazing Protection

DATA SHEET

X-TRA THICK NITRILE

POWDER FREE

EXAMINATION GLOVES



X-TRA THICK NITRILE POWDER FREE EXAMINATION GLOVES

Features

Low extractable particulate level

Manufactured powder-free to avoid exposure to allergens and skin irritants

Textured grip

Microtextured surfaces increase grip to reduce gripping force needed, ultimately reducing hand strain

Improved durability

Thicker than standard examination gloves to provide improved protection and durability against physical injuries and chemicals

Enhanced Comfort & fit

Soft and conforming fit provides increased dexterity allowing prolonged wear, positively affecting productivity

Ambidextrous

Fits either hand conveniently without needing to determine left or right for simpler donning

100% Nitrile

Nitrile powder-free with no plasticizers, ideal solution when latex allergies are concerned.

Vibrant glove colour

Light blue colour makes it highly visible and easier detection of tears or holes on the gloves.

Application

ASAP X-Tra Thick Nitrile gloves are recommended to be used in industries for:

- Barrier protection against harmful chemicals and infectious fluid
- Protection from bodily fluids such as blood or mucus.
- Increased protection from tear and punctures
- Heavy duty applications: Tattoo artist, industrial Chemical handling, Cleaning & Automotive

Industry icons:



Examination & Surgery (E&S)



Research & Development (R&D)



Building & Construction (B&C)



Hygiene Matters

At ASAP, we are committed to hygiene control and quality assurance. Proper hygiene standard is practiced throughout the development of all ASAP products – from raw materials handling, processing, production, inspection, to our finished product to deliver high quality products while limiting the risk of cross contamination.

Look for the Hygiene Matters logo, quality and hygiene you can trust.

Technical Specification Sheet

Product Information

Series Number	20710
Description	Nitrile, Powder Free, Examination Gloves
Material	100% Nitrile
Design	Ambidextrous, Textured & Beaded Cuff
Color	Blue
Quality Assurance	ISO 9001 ISO 13485 ISO 14001
Quality Control	EN 455-1:2000 EN ISO 21420:2020 EN 455-2:2015 EN 374-1:2016+A1:2018 EN 455-3:2015 EN 374-4:2019 EN 455-4:2009 EN 374-5:2016
Food Safe	Tested in accordance with EU standard EN 1186 under Food Commission Regulation 10/2011
Acceptable Quality Level (AQL)	1.5
Packaging	100 pcs per box, 10 boxes per carton
Handling & Storage	Keep out of direct sunlight; store in a cool and dry place
Country of Origin	Malaysia

Physical Properties Specification

Dimension Specification

Test	Particular	Specification	
Dimension (mm)	Palm Width	Extra Small	75 ± 5
		Small	85 ± 5
		Medium	95 ± 5
		Large	105 ± 5
		Extra Large	115 ± 5
	Length		Min. 240
	Thickness (Single wall)	Cuff (25 ± 5 from bead)	Min. 0.06
Palm (centre of palm)		Min. 0.07	
Finger (13 ± 3 from tip)		Min. 0.11	
Physical Properties	Force at break (N)	Before Aging	Min. 6.0
		After Aging	Min. 6.0
Physical Appearance	Rolled beaded cuff Blue Colour Textured Surface Ambidextrous		

Packaging Dimensions

Inner	235 x 127 x 60 mm
Carton	315 x 260 x 245 mm



Product Size Codes

Extra Small	Small	Medium	Large	Extra Large
20711	20712	20713	20714	20715

Instructions for Use

Use

This guideline is to be used in combination with the specific information that is mentioned on each packaging. These gloves are designed as single and transient use gloves and should be disposed of after use. The gloves are liquid proof, and can therefore be used for splash protection against certain chemicals. Kindly ensure the gloves are used for the designated purposes only.

Precautions

This product contains nitrile rubber which may cause an allergic reaction in some individuals. Do not expose these gloves to any person with a known or suspected sensitivity to nitrile rubber. If allergic reaction occurs, discontinue use immediately and consult a physician. These gloves should not be used for thermal or harsh chemical protection. They are not intended for application involving prolonged direct exposure to harsh chemical where heavy-duty industrial gloves are required.

Variability in material thickness, gloves integrity, chemical concentration, temperature, and length of exposure to chemicals may affect performance. User is responsible for determining glove suitability for individual application. Before usage, inspect the gloves for any faults or deficiencies. If the gloves are ripped or punctured during use, dispose them immediately.

Storage

Store in a dry place at room temperature. Open product should be shielded from exposure to direct sunlight, intense artificial light, x-ray machines, and other sources of zone.

Disposal

Dispose according to Local Authority Regulations. Landfill or incinerate under controlled conditions.

ASAP INTERNATIONAL SDN BHD

No. 1, Jalan Sitar 33/6, Seksyen 33,
40400 Shah Alam, Selangor, Malaysia.

T : +603 5191 0166

E : info@whyasap.com

W : www.whyasap.com

ASAP INNOVATIONS LTD

UNIT 7, Fonthill Business Park, THE
COURTYARD, Fonthill Rd, Ballyowen,
Dublin, D22 XA07, Ireland

T : +353 1 4661660

E : info@whyasap.ie

W : www.whyasap.ie

ASAP INNOVATIONS UK LTD

Atterbury Lakes, Fairbourne Drive,
Milton Keynes, MK10 9RG, United
Kingdom

T : +44 (0)1908 909146

E : info@whyasap.co.uk

W : www.whyasap.co.uk