

SLS ULTRASONIC PRECISION CLEANING

SLS2038

9.5Litre Ultrasonic Bath

The SLS Lab Pro range of digital baths offer outstanding performance for use in scientific and laboratory applications, chiropody, veterinary and many other professional environments.

Incorporating Ultrawave's Frequency Leap Technology, homogenous cavitational activity is generated throughout the ultrasonic bath reducing dead spots and standing waves. This provides a more consistent scrubbing action for excellent results.


The SLS2038 is a 9.5Litre heated, digital ultrasonic bath.

The menu driven control panel allows simple adjustment of cycle time (0 to 99 minutes), temperature (ambient to 70°C), ultrasonic power and frequency mode for precise and accurate processing.

Combining features such as degas mode, fluid level sensor and a memory card port, the SLS2038 offers repeatable and traceable cleaning performance with consistent cleaning results every time.




Specifications are subject to change for continual improvements









SPECIFICATIONS

304 Stainless Steel

O 1 1' T 1	00/61:1 61.1
Construction Tank	304 Stainless Steel

Control	Digit	al LCD

Maximum Capacity	10.5Litres
Maxilliulli Capacity	IU.JLIII ES

Heater Power	250W
--------------	------

Timer	0 – 99 minutes
1111161	U = // IIIIIIulus

Mains Connection 23

Drain Outlet	½" BSP valve*

Lid	ABS Plastic
1 10	VRZ Diactic
LIU	ADD I IOSIIL

Basket	304 Stainless Steel

C	race	۱۸	laiaht	lina li	ᅬ	haal	10t	ο.	22	/ ~ ~	ina	1	0	ᄃ	10
U	フロ ひちち	V١	reiuni i	(inc. lid	u.	vasi	λυι (α	Daci	Kau	IIIu.	l	8.	IJΙ	۸u

Net Weight	7.5kg
I TO C TT CIGIT	7.01.9

Warranty 3 Years

For more information on these products contact:



^{*}Drain is located at bottom right at the back of the machine